

AUTOGUARD.bg

Д•Д²Ñ,Д³¼Д³Д°Ñ€´

Д•Д²Ñ,Д³¼Д¹¼Д³¼Д±Д, Д»Д, Д, Д±ÑfÑ•Д³¼Д²Дµ



**RAVENOL Diesel-Leichtlauföl DLO 10W-40 - 5 Д»Д,Ñ,Ñ€°**  
**62.70 Д»Д².**

RAVENOL Diesel-Leichtlauföl DLO 10W-40 API:CF, ACEA: B3-98 redakt 2 MB 229.1, VW 500 00/505 00, BMW Special Oil, Porsche. [\[Д»Д³¼Д,ÑŠД»Д¹¼Д,Ñ,ДµД»Д¹¼Д° Д,Д¹¼Ñ,Д³¼Ñ€¼Д°Ñ†Д,Ñ•...\]](#)



**RAVENOL Dieselöl DLO 10W-40 - 1 Д»Д,Ñ,ÑŠÑ€**  
**14.70 Д»Д².**

RAVENOL Diesel-Leichtlauföl DLO 10W-40 API:CF, ACEA: B3-98 redakt 2 MB 229.1, VW 500 00 / 505 00, BMW Special Oil, Porsche [\[Д»Д³¼Д,ÑŠД»Д¹¼Д,Ñ,ДµД»Д¹¼Д° Д,Д¹¼Ñ,Д³¼Ñ€¼Д°Ñ†Д,Ñ•...\]](#)



**RAVENOL Expert SHPD 10W-40 - 1 Đ»Đ,Ñ,ÑŠÑ€  
15.00 Đ»Đ².**

ĐŸĐ³⁄₄Đ»ÑfÑ•Đ,Đ½Ñ,ĐμÑ,Đ,Ñ‡Đ½Đ³⁄₄ Đ¼Đ°Ñ•Đ»Đ³⁄₄ Đ³⁄₄Ñ, Đ½Đ°Đ¹-Đ²Đ,Ñ•Đ³⁄₄Đ°Đ°  
Đ°Đ°Ñ,ĐμĐ³⁄₄Ñ€Đ,Ñ• Super High Performance Diesel - Expert SHPD SAE 10W-40 (45 000km.) API:  
CM/CF/SL, ACEA 2002: A302, B3-98 redakt. 2, B4-02, E5-02, ACEA 2004: E7/A3/B MB 228.3, 229.1, MAN  
M 3275, Volvo VDS 3, Voith Retarder B, R [\[Đ»Đ³⁄₄Đ;ÑŠĐ»Đ½Đ,Ñ,ĐμĐ»Đ½Đ°  
Đ,Đ½Ñ,Đ³⁄₄Ñ€Đ¼Đ°Ñ‡Đ,Ñ•...\]](#)



**RAVENOL Expert SHPD SAE 10W-40-5 Đ»Đ,Ñ,Ñ€Đ°  
62.80 Đ»Đ².**

RAVENOL Expert SHPD SAE 10W-40 (45000km.) API:CI-4/CF/SL,ACEA 2002:A3- 02,B3-98 redakt.  
2,B4-02,E5-02,ACEA 2004:E7/A3/BMB 228.3,229.1,MAN M 3275,VolvoV DS 3,Voith Retarder B,Renault  
RLD(EURO 2 und EURO 3),Cummins CES 20071,72,76,77,78,MTU Typ 3,SCANIA L  
[\[Đ»Đ³⁄₄Đ;ÑŠĐ»Đ½Đ,Ñ,ĐμĐ»Đ½Đ° Đ,Đ½Ñ,Đ³⁄₄Ñ€Đ¼Đ°Ñ‡Đ,Ñ•...\]](#)



**RAVENOL FEL 5W-30 1L.  
24.00 Đ»Đ².**

ACEA A5/B5, C2, API SN/SM/CF, JASO DL-1 (D049RAV111), RENAULT RN0700, Lizensiert: API SM  
Energy Conserving, Ford WSS-M2C-913D (Ã¼berdeckt 913-A/-B/-C), Ford WSS-M2C-934-A/B/C, ILSAC  
GF-3/- 4, RENAULT RN0700, PSA B7122290 [\[Đ»Đ³⁄₄Đ;ÑŠĐ»Đ½Đ,Ñ,ĐμĐ»Đ½Đ°  
Đ,Đ½Ñ,Đ³⁄₄Ñ€Đ¼Đ°Ñ‡Đ,Ñ•...\]](#)





**RAVENOL FEL 5W-30 5L.**

**105.00 €»€².**

RAVENOL FEL 5W-30 ACEA A5/B5, C2, API SN/SM/CF, JASO DL-1 (D049RAV111), RENAULT RN0700, Lizenziert: API SM Energy Conserving, Ford WSS-M2C-913D (Ä¼berdeckt 913-A/-B/-C), Ford WSS-M2C-934-A/B/C, ILSAC GF-3/- 4, RENAULT RN0700, PSA B7122290

[\[D³¼D¿ÑŠD»D½D,Ñ,DµD»D½D° D,D½Ñ,D¾Ñ€D¼D°Ñ†D,Ñ•...\]](#)



**RAVENOL FO 5W-30 - 1 D»D,Ñ,ÑŠÑ€**

**17.30 €»€².**

DÝD³¼D»ÑfÑ•D,D½Ñ,DµÑ,D,Ñ†D½D¾ D²Ñ•DµÑ•DµD·D¾D½D¾D¾ D¼D°Ñ•D»D¾ -RAVENOL FO 5W-30 FORD, JAGUAR, MAZDA.API SM/SL.ILSACGF-4 ACEA 2002/2004: A1, B1, A5, Ford WSS-M2C913-B, Ford WSS-M2C913-A, Jaguar WSS-M2C913-B, Mazda, D½D¾D²D° D³DµD½DµÑ€D°Ñ†D,Ñ• D¼D¾Ñ,D¾Ñ€D, c D²D,Ñ•D¾D°D¾Ñ,DµD¼D¿DµÑ€Ñ,ÑfÑ€DµD½ D²D,Ñ•D°D¾D·D,Ñ,DµÑ, HTHS

[\[D³¼D¿ÑŠD»D½D,Ñ,DµD»D½D° D,D½Ñ,D¾Ñ€D¼D°Ñ†D,Ñ•...\]](#)



**RAVENOL FORMEL SUPER 15W-40 -1 D»D,Ñ,ÑŠÑ€**

**10.50 €»€².**

RAVENOL Formel Super 15W-40, es findet in PKW - wie LKW - Motoren API: SF/CD, MB-Blatt 227.1, MIL-L-46152 B, MIL-L-2104 D, CCMC G4 ( redakt. 31.12.96) [\[D³¼D¿ÑŠD»D½D,Ñ,DµD»D½D°](#)

[D,D½Ñ,D¾Ñ€D¼D°Ñ†D,Ñ•...\]](#)





**RAVENOL HCS 5W-40 - 1 Đ»Đ,Ń,ŃŠŃ€  
17.27 Đ»Đ².**

Hydrocrack Synth. HCS 5W-40API: SM/CF, ACEA: Đ•Đ—02, Đ'Đ—98, B4-02 MB 229.3, VW 502 00 / 505 00, BMW Longlife-98, Porsche, Opel GM-LL-B-025 [\[Đ"Đ³⁄₄Đ;ŃŠĐ»Đ½Đ,Ń,ĐμĐ»Đ½Đ° Đ,Đ½Ń,Đ³⁄₄Ń€Đ¼Đ°Ń†Đ,Ń•...\]](#)



**RAVENOL HDS HYDROCRACK DIESEL SPECIFIC SAE 5W-30-1  
Đ»Đ,Ń,ŃŠŃ€  
22.80 Đ»Đ².**

RAVENOL HDS HYDROCRACK DIESEL SPECIFIC SAE 5W-30 API SM Energy Conserving(ĐŸĐμŃ•Ń,ĐμĐ½Đμ Đ½Đ° ĐμĐ½ĐμŃ€Đ³Đ,Ń•),ILSAC GF-4ACEA C4-2008 RENAULT RN 0720. [\[Đ"Đ³⁄₄Đ;ŃŠĐ»Đ½Đ,Ń,ĐμĐ»Đ½Đ° Đ,Đ½Ń,Đ³⁄₄Ń€Đ¼Đ°Ń†Đ,Ń•...\]](#)



**RAVENOL HLS 5W-30 - 1 Đ»Đ,Ń,ŃŠŃ€  
20.45 Đ»Đ².**

RAVENOL HLS 5W-30 ĐŸĐ³⁄₄Đ»ŃfŃ•Đ,Đ½Ń,ĐμŃ,Đ,Ń†Đ½Đ³⁄₄ Ń...Đ,Đ'Ń€Đ³⁄₄Đ°Ń€ĐμĐ°Đ,Đ½Đ³⁄₄Đ²Đ³⁄₄ Đ¼Đ°Ń•Đ»Đ³⁄₄. ACEA 2002: A3, Đ'Đ—, B4 ACEA 2004: A3, B4, C3, ILSAC GF-4, MB 229.31, BMW Longlife-04 Entspricht: MB 229.51, BMW Longlife 01, VW 502 00 / 505 00, ŃfĐ'ŃŠĐ»Đ¶ĐμĐ½ Đ;Ń€Đ³⁄₄Đ±ĐμĐ³ [\[Đ"Đ³⁄₄Đ;ŃŠĐ»Đ½Đ,Ń,ĐμĐ»Đ½Đ° Đ,Đ½Ń,Đ³⁄₄Ń€Đ¼Đ°Ń†Đ,Ń•...\]](#)



**RAVENOL HLS 5W-30-5 Đ»Đ, Ñ, Ñ€Đ°  
96.95 Đ»Đ².**

RAVENOL HLS 5W-30 ACEA 2002:A3,B3,B4 ACEA 2004:A3,B4,C3,ILSAC GF-4, MB 229.31, BMW Longlife-04 Entspricht:MB 229.51, BMW Longlife 01, VW 502 00/ 505 00, ÑfĐ´ÑŠĐ»Đ¶ĐµĐ½ Đ¿Ñ€Đ¾Đ±ĐµĐ³. [\[Đ"Đ¾Đ¿ÑŠĐ»Đ½Đ, Ñ, ĐµĐ»Đ½Đ° Đ, Đ½Ñ, Đ¾Ñ€Đ¼Đ°Ñ†Đ, Ñ•...\]](#)



**RAVENOL Hydrocrack Synth. HCS 5W-40 200L.  
2 751.84 Đ»Đ².**

RAVENOL Hydrocrack Synth. HCS 5W-40 40API: SM/CF, ACEA: A3-02, B3-98, B4- 02 MB 229.3, VW 502 00 / 505 00, BMW Longlife-98, Porsche, Opel GM-LL-B-025 [\[Đ"Đ¾Đ¿ÑŠĐ»Đ½Đ, Ñ, ĐµĐ»Đ½Đ° Đ, Đ½Ñ, Đ¾Ñ€Đ¼Đ°Ñ†Đ, Ñ•...\]](#)



**RAVENOL MGS 15W-40 f¼r Erdgasmotoren - 1 Đ»Đ, Ñ, ÑŠÑ€  
13.25 Đ»Đ².**

RAVENOL MGS 15W-40 Gasmotoren¶¶ API CF-4/SJ ACEA 2002 A3, B3, B4, E2 ACEA 2004: A3, B4, E2, MAN 3271-1, Renault RGD, MB 226.9, Volvo CNG Đ¿Đ¾Đ´Ñ...Đ¾Đ´Ñ•Ñ%Đ¾ Đ·Đ° Đ´Đ²Đ, Đ³Đ°Ñ, ĐµĐ»Đ, Ñ€Đ°Đ±Đ¾Ñ, ĐµÑ%Đ, Đ½Đ° Đ²Ñ, ĐµÑ±Đ½ĐµĐ½ Đ³Đ°Đ. Đ¿Ñ€Đ¾Đ¿Đ°Đ½-Đ±ÑfÑ, Đ°Đ½, Đ, Đ½Đ° Ñ•Đ³ÑŠÑ•Ñ, ĐµĐ½ Đ³Đ°Đ. Đ¼ĐµÑ, Đ°Đ½ Đ² Đ»ĐµĐ°Đ, Ñ, Đµ Đ, Ñ, Đ¾Đ²Đ°Ñ€Đ½Đ, Đ°Đ²Ñ, Đ¾Đ¼Đ¾Đ¾Đ±Đ, Đ»Đ, [\[Đ"Đ¾Đ¿ÑŠĐ»Đ½Đ, Ñ, ĐµĐ»Đ½Đ° Đ, Đ½Ñ, Đ¾Ñ€Đ¼Đ°Ñ†Đ, Ñ•...\]](#)



**RAVENOL SFE 5W-20 1 Đ»Đ, Ñ, ÑŠÑ€  
23.00 Đ»Đ².**

RAVENOL SFE 5W-20 GF-4 Đ½Đ°Đ¿ÑŠĐ»Đ½Đ¾ Ñ•Đ, Đ½Ñ, ĐµÑ, Đ, Ñ±Đ½Đ¾  
Đ²Ñ•ĐµÑ•ĐµĐ•Đ¾Đ½Đ½Đ¾ Đ¼Đ¾Ñ, Đ¾Ñ€Đ½Đ¾ Đ¼Đ°Ñ•Đ»Đ¾ FORD WSS-M2C930-A, ;MAZDA  
, DIMLER CRYSLER MS-6395, HONDA, NISSAN, Micubishi DiaQueen. [\[Đ¾Đ¾Đ¿ÑŠĐ»Đ½Đ, Ñ, ĐµĐ»Đ½Đ°  
Đ, Đ½Ñ, Đ¾Ñ€Đ¼Đ°Ñ±Đ, Ñ•...\]](#)



**RAVENOL SFE 5W-20-5Đ»Đ, Ñ, Ñ€Đ°  
111.73 Đ»Đ².**

RAVENOL SFE 5W-20 API:SM ILSAC:GF-4 Đ½Đ°Đ¿ÑŠĐ»Đ½Đ¾ Ñ•Đ, Đ½Ñ, ĐµÑ, Đ, Ñ±Đ½Đ¾  
Đ²Ñ•ĐµÑ•ĐµĐ•Đ¾Đ½Đ½Đ¾ Đ¼Đ¾Ñ, Đ¾Ñ€Đ½Đ¾ Đ¼Đ°Ñ•Đ»Đ¾ FORD WSS-M2C930-A, MAZDA, Dimler  
Chrysler MS-6395, HONDA, Nissan, Mitsubishi DiaQueen. [\[Đ¾Đ¾Đ¿ÑŠĐ»Đ½Đ, Ñ, ĐµĐ»Đ½Đ°  
Đ, Đ½Ñ, Đ¾Ñ€Đ¼Đ°Ñ±Đ, Ñ•...\]](#)



**RAVENOL Super Synthetic Ā–I SSO 0W-30-5 Đ»Đ, Ñ, Ñ€Đ°  
126.17 Đ»Đ².**

RAVENOL Super Synthetic Ā–I SSO 0W-30 ACEA 2002:A3,B3,B4, ACEA 2004:A3, B4, GM-LL-A-025, VW 502  
00/503 01(AUDI)/505 00, MB 229.3, Porsche, BMW ÑfĐ´ÑŠĐ»Đ¶ĐµĐ½ Đ¿Ñ€Đ¾Đ±ĐµĐ³.  
[\[Đ¾Đ¾Đ¿ÑŠĐ»Đ½Đ, Ñ, ĐµĐ»Đ½Đ° Đ, Đ½Ñ, Đ¾Ñ€Đ¼Đ°Ñ±Đ, Ñ•...\]](#)





**RAVENOL Super Synthetic Ā–I SSO 0 W30-1»Ď,Ń,ŃŠŃ€  
27.34 Ď»Ď².**

RAVENOL Super Synthetic Ā–I SSO ACEA 2002:A3,B3,B4,ACEA 2004:A3, B4,GM-LL-A-025,VW 502 00/503 01(AUDI)/505 00,MB 229.3,Porsche, BMW,ŃfĎ´ŃŠĎ»Ď¶ĎµĎ½ ĎĵŃ€Ď¼Ď±ĎµĎ³.

[\[Ď”Ď³⁄₄ĵĵ,ŃŠĎ»Ď½Ď,Ń,ĎµĎ»Ď½Ď° Ď,Ď½Ń,Ď³⁄₄Ń€Ď¼Ď°Ń†Ď,Ń°...\]](#)



**RAVENOL TEG SAE 10W-40 GasmotorenĀ¶ĭ - 1 Ď»Ď,Ń,ŃŠŃ€  
14.65 Ď»Ď².**

RAVENOL teilsynth. ErdGas TEG 10W-40 40 GasmotorenĀ¶ĭ API: SL/CF, ACEA 2002/2004: A3, B3 ĎĵĎ³⁄₄Ď´Ń...Ď³⁄₄Ď´Ń•Ń%Ď³⁄₄ Ď•Ď° Ď´Ď²Ď,Ď³Ď°Ń,ĎµĎ»Ď, Ń€Ď°Ď±Ď³⁄₄Ń,ĎµŃ%Ď, Ď½Ď° Ď²Ń,ĎµŃ†Ď½ĎµĎ½ Ď³Ď°Ď• ĎĵŃ€Ď¼ĎĵĎ°Ď½-Ď±ŃfŃ,Ď°Ď½, Ď, Ď½Ď° Ń•Ď³ŃŠŃ•Ń,ĎµĎ½ Ď³Ď°Ď• Ď¼ĎµŃ,Ď°Ď½

[\[Ď”Ď³⁄₄ĵĵ,ŃŠĎ»Ď½Ď,Ń,ĎµĎ»Ď½Ď° Ď,Ď½Ń,Ď³⁄₄Ń€Ď¼Ď°Ń†Ď,Ń°...\]](#)



**RAVENOL teilsynth.TSI 10W-40-5 Ď»Ď,Ń,Ń€Ď°  
63.00 Ď»Ď².**

RAVENOL teilsynth.TSI 10W-40 API:SM/CF,ACEA:A3-02,B3-98 redakt.2 MB 229.1, VW 500 00,502 00/505 00, BMW Specia IOil. [\[Ď”Ď³⁄₄ĵĵ,ŃŠĎ»Ď½Ď,Ń,ĎµĎ»Ď½Ď° Ď,Ď½Ń,Ď³⁄₄Ń€Ď¼Ď°Ń†Ď,Ń°...\]](#)

- « « Ď•Ď°Ń†Ď°Ď»Ď³⁄₄
- « ĎŃŃ€ĎµĎ´.
- 1
- **2**
- [ĎĵĎ»ĎµĎ´Ď². »](#)

[ДШЊЄĐ°Đ¹ »»](#)

Đ ĐμĐ·ЊfĐ»Њ,Đ°Њ,Đ, 1 - 20 Đ³⁄⁴Њ, 36